



Accessibility Conformance Report

(Based on VPAT® Version 2.4)

syslog-ng Store Box

7.3.0

Contact Information:

Please contact <http://support.quest.com> with any questions about the accessibility of this product, or to notify us if an accessibility gap is limiting or would preclude your use of a product. This information will be communicated to the product's R&D team and will raise visibility of the issue.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline

[Web Content Accessibility Guidelines 2.0](#)

[Web Content Accessibility Guidelines 2.1](#)

Included In Report

Level A, Level AA

Level A, Level AA

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.

Report Date: January 10, 2024

Success Criteria, Level A

Criteria, Level A	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except in some limited situations (see link).</p>	Does Not Support	Many icons and non-text controls do not have appropriate text alternatives
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> Except when the audio or video is a media alternative for text and is clearly labeled as such, for prerecorded audio-only media an alternative for time-based media is provided that presents equivalent information. For prerecorded video-only media, either an alternative for time-based media or an audio track is provided that presents equivalent information.</p>	Not Applicable	
<p><u>1.2.2 Captions (Prerecorded)</u> Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.</p>	Not Applicable	
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.</p>	Not Applicable	
<p><u>1.3.1 Info and Relationships</u> Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.</p>	Partially Supports	
<p><u>1.3.2 Meaningful Sequence</u> When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.</p>	Partially Supports	Some layout tables do not make sense when linearized.

Criteria, Level A	Conformance Level	Remarks and Explanations
<p><u>1.3.3 Sensory Characteristics</u> Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.</p>	Supports	
<p><u>1.4.1 Use of Color</u> Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	Partially Supports	Some required or error fields are marked with red color only.
<p><u>1.4.2 Audio Control</u> If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.</p>	Not Applicable	
<p><u>2.1.1 Keyboard</u> All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.</p>	Does Not Support	Many functions are not keyboard accessible.
<p><u>2.1.2 No Keyboard Trap</u> If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.</p>	Supports	
<p><u>2.1.4 Character Key Shortcuts</u> If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then either the keyboard shortcut is only active when that component has focus or a mechanism is available to turn the shortcut off or to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc).</p>	Supports	

Criteria, Level A	Conformance Level	Remarks and Explanations
<p><u>2.2.1 Timing Adjustable</u></p> <p>For each time limit that is set by the content, the user is able to turn off, adjust, or extend the time limit, except with some specific exceptions (see link).</p>	Supports	
<p><u>2.2.2 Pause, Stop, Hide</u></p> <p>For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content and for any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless it is part of an activity where it is essential (see link).</p>	Supports	
<p><u>2.3.1 Three Flashes or Below Threshold</u></p> <p>Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.</p>	Supports	
<p><u>2.4.1 Bypass Blocks</u></p> <p>A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.</p>	Does Not Support	There are no skip links and landmarks
<p><u>2.4.2 Page Titled</u></p> <p>Web pages have titles that describe topic or purpose.</p>	Supports	
<p><u>2.4.3 Focus Order</u></p> <p>If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p>	Partially Supports	When some dialogs close, focus does not returns to the element that invoked the dialog or to another element that provides logical work flow. When some dialogs open, focus does not move to an element inside the dialog
<u>2.4.4 Link Purpose (In Context)</u>	Supports	

The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.

[2.5.1 Pointer Gestures \(2.1 only\)](#)

All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.

Supports

[2.5.2 Pointer Cancellation \(2.1 only\)](#)

For functionality that can be operated using a single pointer, at least one of the following is true: the down-event of the pointer is not used to execute any part of the function; completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion; the up-event reverses any outcome of the preceding down-event; or completing the function on the down-event is essential (see link).

Supports

[2.5.3 Label in Name \(2.1 only\)](#)

For user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Supports

[2.5.4 Motion Actuation \(2.1 only\)](#)

Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when the motion is used to operate functionality through an accessibility supported interface or the motion is essential for the function and doing so would invalidate the activity (see link).

Not Applicable

[3.1.1 Language of Page](#)

The default human language of each Web page can be programmatically determined.

Supports

[3.2.1 On Focus](#)

Supports

Criteria, Level A	Conformance Level	Remarks and Explanations
When any component receives focus, it does not initiate a change of context.		
3.2.2 On Input Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.	Supports	
3.3.1 Error Identification If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.	Partially Supports	Some required or error fields are marked with red color only. Some error messages can only be accessed in a mouse activated tooltip.
3.3.2 Labels or Instructions Labels or instructions are provided when content requires user input.	Supports	
4.1.1 Parsing In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.	Partially Supports	Some HTML validation issues may impact accessibility.
4.1.2 Name, Role, Value For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.	Does Not Support	Many custom UI components do not have programmatically determinable name, role and state

Success Criteria, Level AA

Criteria, Level AA	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live)	Not Applicable	

Criteria, Level AA	Conformance Level	Remarks and Explanations
Captions are provided for all live audio content in synchronized media.		
<p><u>1.2.5 Audio Description (Prerecorded)</u> Audio description is provided for all prerecorded video content in synchronized media.</p>	Not Applicable	
<p><u>1.3.4 Orientation (2.1 only)</u> Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.</p>	Not Applicable	
<p><u>1.3.5 Identify Input Purpose (2.1 only)</u> The purpose of each input field collecting information about the user can be programmatically determined when the input field serves a purpose identified in the Input Purposes for User Interface Components section; and the content is implemented using technologies with support for identifying the expected meaning for form input data.</p>	Partially Supports	UI has autocomplete only
<p><u>1.4.3 Contrast (Minimum)</u> The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except in some limited situations (see link).</p>	Partially Supports	Some text has insufficient contrast
<p><u>1.4.4 Resize text</u> Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>	Supports	
<p><u>1.4.5 Images of Text</u> If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except when the image of text can be visually customized to the user's requirements or a particular presentation of text is essential to the information being conveyed.</p>	Supports	
<p><u>1.4.10 Reflow (2.1 only)</u> Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for vertical scrolling content at a width equivalent to 320px or Horizontal scrolling content at a height equivalent to 256px. Except for parts of the</p>	Supports	


Criteria, Level AA	Conformance Level	Remarks and Explanations
content which require two-dimensional layout for usage or meaning.		
<p>1.4.11 Non-text Contrast <i>(2.1 only)</i> The visual presentation of user interface components and graphical objects has a contrast ratio of at least 3:1 against adjacent colors (see link).</p>	Supports	
<p>1.4.12 Text Spacing <i>(2.1 only)</i> In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:</p> <ul style="list-style-type: none"> • Line height (line spacing) to at least 1.5 times the font size; • Spacing following paragraphs to at least 2 times the font size; • Letter spacing (tracking) to at least 0.12 times the font size; • Word spacing to at least 0.16 times the font size. 	Supports	
<p>1.4.13 Content on Hover or Focus <i>(2.1 only)</i> Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible/hidden, a mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus; if pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing; and the additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid (see link).</p>	Supports	
<p>2.4.5 Multiple Ways More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.</p>	Supports	The main page of the SSB administration interface contains links to all other pages in the software
<p>2.4.6 Headings and Labels Headings and labels describe topic or purpose.</p>	Supports	
<p>2.4.7 Focus Visible</p>	Does Not Support	Only the links, the input fields, the radio buttons and the checkboxes

Criteria, Level AA	Conformance Level	Remarks and Explanations
Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.		have visible focus indicator. The focus indicator is not visible on many other interactive elements
<p><u>3.1.2 Language of Parts</u></p> <p>The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.</p>	Supports	
<p><u>3.2.3 Consistent Navigation</u></p> <p>Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.</p>	Supports	
<p><u>3.2.4 Consistent Identification</u></p> <p>Components that have the same functionality within a set of Web pages are identified consistently.</p>	Supports	
<p><u>3.3.3 Error Suggestion</u></p> <p>If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.</p>	Partially Supports	Some required or error fields are marked with red color only. Some error suggestions can only be accessed in a mouse activated
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u></p> <p>For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, either submissions are reversible; data entered by the user is checked for input errors and the user is provided an opportunity to correct them; or a mechanism is available for reviewing, confirming, and correcting information before finalizing the submission (see link).</p>	Not Applicable	
<p><u>4.1.3 Status Messages (2.1 only)</u></p> <p>In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.</p>	Not Applicable	

Evaluation Methods Used:

Testing based on general product knowledge

© 2021 Quest Software Inc.
ALL RIGHTS RESERVED.

Quest, Quest Software, the Quest logo,  and One Identity are trademarks and registered trademarks of Quest Software Inc. and its affiliates. All other trademarks are property of their respective owners.